


- NOTES: UNLESS OTHERWISE SPECIFIED.
1. Unless otherwise specified all dimensions are in mm and pro rata.
  2. Interpret drawing as per CNS.
  3. Unless otherwise specified all corners and rounds are 0.25×45°&0.25.
  4. Tolerances for
    - (a) Holes:  $\varnothing D^{+x.xx}$
    - (b) Shaft:  $\varnothing d_{-x.xx}$
    - (c) Length:  $L \pm x.xx/2$
    - (d) Angles:  $X^\circ \pm 0.25$
  5. Removes all burrs, sharp edges and flashes.
  6. Request other than specified will follow according to customer criteria.
  7. Consult 3D drawings for detailed definition.
  8. Ensured product or parts conformance to EU Directive WEEE and RoHS.

Basic Sizes ØD,d&L/mm	Tolerance/mm
<3	0.12
3-6	0.14
6-10	0.16
10-14	0.18
14-18	0.20
18-24	0.22
24-30	0.24
30-40	0.26
40-50	0.28
50-65	0.32
65-80	0.38
80-100	0.44
100-120	0.50
120-140	0.56
140-160	0.62
160-180	0.68
180-200	0.74
200-225	0.82
225-250	0.90
250-280	1.00
280-315	1.10
315-355	1.20
355-400	1.30
400-450	1.40
450-500	1.60

					Part name:				
					CF1				
Sign	List	Converted No.	Signature	Date	Material:	Version	Drawing Marker	Weight	Scale
Design									
					Finish:	Total		No.	
					Date	Title:			
						Drawing No.:			