



Honda Amplifier Bypass Harness 2016-up

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications

FEATURES

- Amplifier bypass harness
- Vehicle-specific harness to bypass the factory amplifier
- Allows loose wires to wire to an aftermarket amplifier
- Saves the installer unnecessary labor and wire

APPLICATIONS

Honda

Accord	2018-up	Insight	2019-up
Civic	2016-2018	Pilot	2016-2018
CR-V	2017-2018		

TABLE OF CONTENTS

Amplifier locations	2
Connections	3

TOOLS REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape • Wire cutter • Zip ties

Attention! Let the vehicle sit with the key out of the ignition for a few minutes before removing the factory radio. When testing the aftermarket equipment, ensure that all factory equipment is connected before cycling the key to ignition.

AMPLIFIER LOCATIONS

Vehicle

Amp Location

Accord

Center console, close to firewall

Civic

Passenger kick panel, up high

CR-V

Under gear selector in center console

Insight

Passenger kick panel, up high

Pilot

Passenger kick panel, up high

CONNECTIONS

18-Pin Harness:

Wire Color	Speaker
White	Front Left Woofer +
White/Black	Front Left Woofer -
Gray	Front Right Woofer +
Gray/Black	Front Right Woofer -
Yellow/Blue	Front Left Tweeter +
Yellow/Black	Front Left Tweeter -
Yellow/Red	Front Right Tweeter +
Yellow/Orange	Front Right Tweeter -
Green	Rear Left Speaker +
Green/Black	Rear Left Speaker -
Purple	Rear Right Speaker +
Purple/Black	Rear Right Speaker -
Brown/White	Center Channel Speaker+
Blue/Pink	Center Channel Speaker -
Green/White	Subwoofer +
White/Red	Subwoofer -

8-Pin Harness:

Wire Color	Speaker
Blue/Orange	Left Satellite Speaker +
Blue/Red	Left Satellite Speaker -
Blue/Yellow	Right Satellite Speaker +
Blue/Green	Right Satellite Speaker -
Green/Orange	Rear Left Tweeter +
Green/Red	Rear Left Tweeter -
Black/Yellow	Rear Right Tweeter +
Black/Green	Rear Right Tweeter -

Note: These speakers are not present in all applications. Test the wires with a multimeter to verify whether they are applicable or not.



AX-AB-HN1

INSTALLATION INSTRUCTIONS



If you are having difficulties with the installation of this product, contact our Tech Support line either by phone at **1-800-253-TECH**, or email at **techsupport@metra-autosound.com**. Before doing so, look over the instruction booklet a second time and ensure that the installation was performed exactly as the instruction booklet is stated. Have the vehicle apart and ready to perform troubleshooting steps before contacting Metra/Axxess Tech Support.



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



Metra recommends MECP certified technicians