

Lexus IS 300 Amplifier Bypass Harness 2006-2009

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications

Refer to the following pages for the vehicle specific instructions for wiring connections. Wiring connections vary per amplifier design. There is a 13 speaker system, and a 14 speaker system.

If it's uncertain whether the vehicle contains a specific speaker or not, test the wires with a tone generator, or check to see if the factory wires are populated on the vehicle side. Alternatively, the wires can be tested for impedance with a multimeter.

TABLE OF CONTENTS

Amplifier Location & Connections	
-13 Speaker	2
-14 Speaker	3

TOOLS REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape • Wire cutter • Zip ties

Attention! Let the vehicle sit with the key out of the ignition for a few minutes before removing the factory radio. When testing the aftermarket equipment, ensure that all factory equipment is connected before cycling the key to ignition.

AMPLIFIER LOCATION & CONNECTIONS

13 Speaker Amplifier:


Connector A:

Green/White	-Subwoofer Coil 1 +
Yellow/Brown	-Subwoofer Coil 2 +
Brown/White	-Rear Right Door Tweeter/Midrange Speaker +
White	-Front Left Door Woofer +
White/Red	-Subwoofer Coil 1 -
Green/Purple	-Subwoofer Coil 2 -
White/Blue	-Rear Left Door Tweeter/Midrange Speaker -
Pink	-Rear Left Door Tweeter/Midrange Speaker +
Blue/Pink	-Rear Right Door Tweeter/Midrange Speaker -
White/Black	-Front Left Door Woofer -

Connector B:

Gray	-Front Right Door Woofer +
Yellow/Blue	-Front Left Door Tweeter/Midrange Speaker +
Green/Orange	-Rear Left Door Woofer +
Black/Yellow	-Rear Right Door Woofer +
Gray/Black	-Front Right Door Woofer -
Yellow/Black	-Front Left Door Tweeter/Midrange Speaker -
Yellow/Orange	-Front Right Door Tweeter/Midrange Speaker -
Yellow/Red	-Front Right Door Tweeter/Midrange Speaker +
Green/Red	-Rear Left Door Woofer -
Black/Green	-Rear Right Door Woofer -

Amplifier Location: Right Rear of Trunk



AMPLIFIER LOCATION & CONNECTIONS

14 Speaker Amplifier:


Connector A:

Green/White	-Subwoofer Coil 1 +
Yellow/Brown	-Right Satellite Speaker +
Brown/White	-Center Channel Speaker +
White	-Front Left Door Woofer +
White/Red	-Subwoofer Coil 1 -
Green/Purple	-Right Satellite Speaker -
White/Blue	-Left Satellite Speaker -
Pink	-Left Satellite Speaker +
Blue/Pink	-Center Channel Speaker -
White/Black	-Front Left Door Woofer -

Connector B:

Gray	-Front Right Door Woofer +
Yellow/Blue	-Front Left Door Tweeter/Midrange Speaker +
Green/Orange	-Rear Left Door Tweeter/Midrange Speaker +
Black/Yellow	-Rear Right Door Tweeter/Midrange Speaker +
Gray/Black	-Front Right Door Woofer -
Yellow/Black	-Front Left Door Tweeter/Midrange Speaker -
Yellow/Orange	-Front Right Door Tweeter/Midrange Speaker -
Yellow/Red	-Front Right Door Tweeter/Midrange Speaker +
Green/Red	-Rear Left Door Tweeter/Midrange Speaker -
Black/Green	-Rear Right Door Tweeter/Midrange Speaker -

Amplifier Location: Right Rear of Trunk





AX-AB-LX2

INSTALLATION INSTRUCTIONS



IMPORTANT

If you are having difficulties with the installation of this product, please call our Tech Support line at 1-800-253-TECH. Before doing so, look over the instructions a second time, and make sure the installation was performed exactly as the instructions are stated. Please have the vehicle apart and ready to perform troubleshooting steps before calling.



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



Metra recommends MECP certified technicians