



Toyota Tundra (Access Cab) Amplifier Bypass Harness 2005-2006

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications

- Amplifier bypass harness
- Vehicle-specific harness to bypass the factory amplifier
- Allows loose wires to wire to an aftermarket amplifier
- Saves the installer unnecessary labor and wire

TABLE OF CONTENTS

Amplifier Location	2
Connections	2

TOOLS REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Tape • Wire cutter • Zip ties

CAUTION! All accessories, switches, climate controls panels, and especially air bag indicator lights must be connected before cycling the ignition. Also, do not remove the factory radio with the key in the on position, or while the vehicle is running.

CONNECTIONS

Gray	Front Right Speaker +
Gray/Black	Front Right Speaker -
White	Front Left Speaker +
White/Black	Front Left Speaker -
Green	Rear Left Speaker +
Green/Black	Rear Left Speaker -
Purple/White	Rear Right Speaker +
Purple/Black	Rear Right Speaker -

Amplifier Location: Under center console



AX-AB-TY3

INSTALLATION INSTRUCTIONS



IMPORTANT

If you are having difficulties with the installation of this product, please call our Tech Support line at 1-800-253-TECH. Before doing so, look over the instructions a second time, and make sure the installation was performed exactly as the instructions are stated. Please have the vehicle apart and ready to perform troubleshooting steps before calling.



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



Metra recommends MECP certified technicians