




Steering Wheel Control Harness

Fits Subaru/Toyota Models 2022-2025

Visit [AxxessInterfaces.com](https://www.AxxessInterfaces.com) for vehicle specific applications.

INTERFACE FEATURES

- Pre-wired for the Axxess SWC interface (sold separately)
- Retains the factory backup camera
- Retains the factory AUX-In jack
- Provides NAV outputs (reverse)
- Includes the AXCS-6V 12-volt to 6-volt converter

Note: The aftermarket radio must have an AUX-IN port

INTERFACE COMPONENTS

- 6-volt step down
- Vehicle-specific SWC harness

APPLICATIONS

TOYOTA	
GR86.....	2022-2025
SUBARU	
BRZ.....	2022-2025

TABLE OF CONTENTS

Connections.....	2
------------------	---


TOOLS REQUIRED

- Crimping tool and connectors
(example: butt connectors, bell caps, etc.)
- or
- Soldering gun, solder, and heat-shrink tubing
 - Adhesive tape

Visit [AxxessInterfaces.com](https://www.AxxessInterfaces.com) for more detailed information about the product and up-to-date vehicle specific applications.

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections are secure before cycling the ignition to test this product.
NOTE: Refer also to the instructions included with the aftermarket radio.

CONNECTIONS



[illegible]



AXBUCS-TY386V

INSTALLATION INSTRUCTIONS



Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)


Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 5:00 PM

Sunday: 10:00 AM - 4:00 PM



**Metra recommends MECP
certified technicians**



Arnés de Control del Volante

Compatible con Modelos Seleccionados de Subaru/Toyota 2022-2025

Visite AxxessInterfaces.com para aplicaciones específicas de vehículos.

CARACTERÍSTICAS DE LA INTERFASE

- Preinstalado para la interfaz Axxess SWC (se vende por separado)
- Conserva la cámara de reversa de fábrica
- Conserva la entrada AUX-IN de 3.5 mm de fábrica
- Proporciona salidas para el sistema de navegación (marcha atrás)
- Incluye el convertidor de 12 voltios a 6 voltios AXCS-6V

Nota: La radio de recambio debe tener un puerto AUX-IN.

COMPONENTES DE LA INTERFASE

- Reductor de voltaje de 6 voltios
- Arnés de control de volante específico para el vehículo

APLICACIONES

TOYOTA	SUBARU
GR86 2022-2025	BRZ 2022-2025

INDICE

Conexiones	2
------------------	---


HERRAMIENTAS REQUERIDAS

- Herramienta de crimpado y conectores (ejemplo: conectores a tope, capuchones, etc.)
- Soldador, estaño y tubo termorretráctil
- Cinta adhesiva

ATENCIÓN: Con la llave fuera del encendido, desconecte el terminal negativo de la batería antes de instalar este producto. Asegúrese de que todas las conexiones de instalación estén seguras antes de realizar un ciclo de encendido para probar este producto.

NOTA: Consulte las instrucciones incluidas con la radio de mercado secundario.

CONEXIONES



[illegible]



AXBUCS-TY386V

INSTRUCCIONES DE INSTALACIÓN



¿Tienes dificultades? Estamos aquí para ayudar.



Póngase en contacto con nuestra
línea de soporte técnico en:

386-257-1187



O por correo electrónico a:

techsupport@metra-autosound.com

Horario de Soporte Técnico (hora estándar del este)

Lunes - Viernes: 9:00 AM - 7:00 PM

Sábado: 10:00 AM - 5:00 PM

Domingo: 10:00 AM - 4:00 PM



**Metra recomienda técnicos
certificados MECP**