



GM Stop/Start Override Interface 2016-2019

INTERFACE FEATURES

- Allows the override of the STOP/START engine feature
- Can be used with either a factory or aftermarket radio
- No programming required
- Simple 2-wire setup

INTRODUCTION

The AXSSO-GM is designed to disengage the STOP/START feature of the vehicle, and keep that feature disengaged even after the key has been cycled. The AXSSO-GM will work with either an aftermarket or a factory radio. Simple 2-wire installation (ground and power to the battery) is all that is required to install the interface in the vehicle. No programming required!

APPLICATIONS

LD-GM1-SSO applications

Buick		Cadillac		Chevrolet (Cont)	
Enclave	2018	CTS	2019	Traverse	2018
Encore	2016-2018	XT5	2017-2018	Trax	2016-2018
Envision	2016-2019	Chevrolet		GMC	
LaCrosse	2017-2019	Cruze	2017-2018	Acadia	2017-2018
Regal	2017-2018	Equinox	2018-2019	Terrain	2018-2019
		Malibu	2016-2017	Yukon	2018

LD-GM2-SSO applications

Buick		Cadillac (Cont)		Chevrolet (Cont)	
Enclave	2019	XT4	2019	Silverado	2019
Encore	2019	XT5	2019	Tahoe	2019
Regal	2019	XTS	2019	Traverse	2019
				Trax	2019
Cadillac		Chevrolet		GMC	
CT6	2019	Corvette	2019	Acadia	2019
Escalade	2019	Cruze	2019		

TABLE OF CONTENTS

Installation 2

INTERFACE COMPONENTS

- AXSSO-GM interface
- LD-GM1-SSO harness
- LD-GM2-SSO harness


TOOLS & INSTALLATION ACCESSORIES REQUIRED

- Zip ties • Zip tie cutter
- GM battery terminal wrench

Product Info



INSTALLATION



(Figure shown for illustration purposes only. Actual vehicle and installation locations will differ)

1. Open the hood and locate the hood pin switch harness underneath the hood latch.
2. Unplug the hood pin switch harness, then plug in the appropriate harness.
3. Route the power and ground wires to the vehicles battery.
4. Connect the **Black** wire to the negative terminal.
5. Connect **Yellow** wire to the positive terminal.
6. Find a safe and secure spot for the water resistant **AXSSO-GM interface**, away from any heat sources and moving parts. With the wiring harness facing downward, zip tie the interface securely.
7. The installation is now complete.

Having difficulties? We're here to help.



Contact our Tech Support line at:

1-800-253-TECH



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.com or call 800-354-6782 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**