

PRO RGB app Quick Start Guide



iTunes[®]



Play Store



Getting Started



Connections


The connections button opens the side panel where all groups and devices can be seen. In this panel controllers can be controlled by selecting/deselecting the device. Groups can also be created in this panel by pressing the "Add Group" toward the bottom of the screen. You will be requested to name the group. The new group is now created. **Press and hold** on the group in the panel to bring up the option menu, where the group can be renamed, devices added, or delete the group. Selecting "ADD DEVICE" will present a list of available devices that can be selected and added to the group.

"+ Add Group"

Name group, then "OK"

"ADD DEVICE"

Select controllers, then "OK"



Status

Next to each controller in the list there is a chain symbol. If the chain icon is linked then the controller is connected. If the chain is broken the controller is disconnected.



Power

The power button switches off all lights on selected controllers. The power icon will be green when the lights are on, and black when the lights are off. Note, this only turn the lights on and off, it doesn't power down and power on the controllers.




Controller Settings

The controller settings button will bring up a page where the name, location, and mode of turn and brake triggers on each controller can be set. First, scroll through the list of controllers at the top "↑ scroll to choose a device". When the desired controller is shown, the controller can be renamed in the "Device Name" box. The controller's vehicle zone can be selected from 5 preset options in the "Device Location" box. (Note, on the main page the corresponding zone of the vehicle image will indicate what color that zone is set to). The "Turn Mode" allows the lights to flash Amber or Red when the turn signal trigger is activated. The "Brake Mode" allows the lights to Slow Flash Red, Blasting Flash Red, or Steady Red when the brake trigger is activated. Press the green "SETTING" button to store the changes.



Full Guide


A full in-depth instruction guide has been built into the app for easy reference. Select the setting cog in the top right corner, then "Guide" from the pop out list. The guide provides page by page explanation of all the features within the app.



Password function: Password lock can ensure one-to-one control of the product. It prevents other phones from controlling your product when it is operating.

How to set the Password (app):

From the Setting cog, click the password function, slide up to select your device, enter the original password in the first line (the original password is: 123456), enter the new Password in the second line, and enter the same new password again in the third line. Click Settings to save, you should get a "settings are successful" message.



If you forget the Password: Switch the controller quickly on/off 5-10 times to restore the initial Password. Do this by connecting and disconnecting the red wire from the +12V power source. The black wire needs to be connected to chassis ground during this process.



www.HeiseLED.com

Tech Support
(386)257-1187

Thank you for purchasing your Heise lighting from Metra Electronics! We're excited to see you're installs, but if you have any questions, comments, feedback on the product, please contact at Tech Support email via techsupport@metra-autosound.com.



THE INSTALLER'S CHOICE



INST-HE-CHASECB

REV 1.1



www.HeiseLED.com

Tech Support
(386)257-1187